


PRESTUR & PREXTUR

Medium pressure fan with backward impeller for paint booths



PRESTUR & PREXTUR

Medium pressure fan with backward impeller for paint booths



Manufacturing features

- ^o Medium pressure centrifugal fan with direct coupling.
- ^o Reinforced housing made of carbon laminated steel, protected against corrosion by powder coating polyester resin RAL 5010. Finish C3.
- ° Casing fully latched and adjustable.
- ° Self-cleaning turbine and reinforced impeller with high-performance backward (reaction) blades made of carbon laminated steel dynamically balanced to minimize noise and vibrations. Black painting RAL 9005.
- ° Squirrel cage standardized asynchronous IEC motor with IP-55 protection and class F electrical insulation. Standard voltages 230/400V 50Hz for three-phase motors up to 4kW and 400/690V50Hz for higher powers.
- o Motor with flange (B5), airtight axle.
- ODouble suction flange.
- $^{\rm o}$ Maximum working temperature in continuous: transported air: 130 $^{\rm o}$ C, ambient: 60 $^{\rm o}$ C.
- $^{\rm o}$ Available positions (to be indicated in case of order): LG and RD.
- ^o The indicated codes correspond to the model in position LG.

Under request

- ° Fans for special voltages.
- °2 speed motor.
- °C4 or C5 coating painting.
- ^o Hot dip galvanized.
- ^o Inox 304 (normal or electropolished finish).
- ^o Inox 316 (normal or electropolished finish).
- ° Cooling wheel.
- ^o Anticaloric paint.
- ° Fully welded housing (waterproof).
- o Inspection door to facilitate maintenance and cleaning.
- ^o Drain plug.
- ^o Non-sparking air passage and standard motor.
- Other brands of motors.

Other versions

- ° Available in the following versions :
 - ^o Standard version.
 - ^o Non-sparking air passage and standard motor.
 - ° ATEX ZONE 1, ZONE 2, ZONE 21 y ZONE 22 (conductive and non-conductive).

Applications

Suitable for moving clean or dusty air. Designed to be fixed in the double suction flange, with the motor in vertical position.

- ^o Paint booths
- ° Collection of dust
- ° Food industry dryers
- o Food processing
- ^o Incineration
- Odor control in industry
- ° Indoor / outdoor pollution control
- ° Big buildings
- o Malls
- ° Factories / Industrial buildings
- ^o Warehouses
- ^o Extraction of smoke
- ^o Boilers and ovens
- ^o Manufacture and treatment of chemical products.
- ° Tunnels, underground stations.



Example of installation in a paint booth

PRESTUR & PREXTUR



• Range









° PRESTUR







° PREXTUR



° PRESTUR ATEX





Accessories

0	INT Safety switch	5	SFC Frequency speed controller	And the second s	RA INlet protection guard for centrifugal fans	0	AC Conection flange
0	JE 45 Anti-vibration joint		AVR Anti-vibration rubber block		EIS Outlet flange for storm models	0	BADS circular-circular an- ti-vibration flange for STORM
	AVS Anti-vibration spring block	0	BA-400 Anti-vibration spring block		BIDS rectangular-rectangular anti-vibration flange for STORM		RIS outlet protection guard for STORM fans
	CPS Outlet bend for STORM fans		AB acoustic cabins for centrifugal fans				



VORTICE GROUP COMPANIES

VORTICE S.P.A

Strada Cerca, 2 Frazione di Zoate 20067 Tribiano (Milan) Italy Tel. (+39) 02 906991 Fax (+39) 02 90699625 vortice.com

VORTICE LIMITED

Beeches House-Eastern Avenue Burton upon Trent DE13 OBB United Kingdom Tel. (+44) 1283 492949 Fax (+44) 1283 544121 vortice.ltd.uk

VORTICE INDUSTRIAL S.R.L.

Via B. Brugnoli 3, 37063 Isola della Scala (Verona) Italy Tel. (+39) 045 6631042 Fax (+39) 045 6631039 vorticeindustrial.com

CASALS VENTILACIÓN AIR INDUSTRIAL S.L.

Ctra. Camprodon, s/n 17860 Sant Joan de les Abadesses (Girona) Spain Tel. (+34) 972720150 casals.com

VORTICE LATAM S.A.

Bodega #6 Zona Franca Este Alajuela, Alajuela 20101 Costa Rica Tel. (+506) 2201 6934 vortice-latam.com

VORTICE VENTILATION SYSTEM

(Changzhou) Co.LTD No. 388 West Huanghe Road Building 19, Changzhou Post Code: 213000 China Tel. (+86) 0519 88990150 Fax (+86) 0519 88990151 vortice-china.com

The descriptions and illustrations in this catalogue are intended to be indicative and not binding. Without prejudice to the essential characteristics of the products described and illustrated here, CASALS VENTILACIÓN reserves the right to make, at any time and without notice, changes to parts, aesthetic details or supply of accessories to its products that are deemed to be appropriate for improvement or for any construction or commercial requirement.